




亦斐工业 · 专于夹具



亦斐工业技术（上海）有限公司

座机：021-5996 3732

手机：137 6107 5639

邮箱：sales@ea-fi.com

网站：www.ea-fi.com

地址：上海市嘉定区嘉罗公路336号科创大厦1317室

EAFI
ALL IN FIXTURE

亦斐工业技术（上海）有限公司致力于夹具技术，为客户提供高效、高性能的夹具产品及夹具系统解决方案。产品主要应用于自动化、机械加工、焊接等行业；

Easy Fixture Industrial Technology (Shanghai) Co., Ltd. focus on supplying the high performance and high efficiency fixture products and comprehensive solutions for Automation, Mahinery, Welding and related.

EAFI甄选全球创新夹具产品并结合自身技术优势，为您提供更适用的优化方案。

EAFI collects the innovative fixture products and combine with itself core technolgy advantage to provide customized suitable solution for your application.

EAFI,既是 EASY FIXTURE 的简写，相信高效与高性能不可分割的方法论，结合自身技术优势及本地化服务能力，为客户提供增效降本夹具解决方案。

EAFI mens EASY FIXTURE, we believe high efficiency and high performnace can't be achieve seperately. Based on EAFI technical know-how and local service ability, we customized suitable fixture solution for customer to reduce cost and enhance the performance.

20年
经验


7 x 24
服务时间

5位
技术人员

2处
服务网点

应用领域

Applicaitoin field



自动化集成
Automation intergration



焊接
Welding



机械加工
Machining

强力夹钳产品

自1957年成立以来，我们始终专注于制造最顶级的工业夹具。产品的高质量和对任何因制造所出现的问题的全面绝对保障，使我们成为了欧洲市场最主要的工业夹具品牌之一，并出口到全世界超过50多个国家地区

选择PIHER，你就选择了最高的质量和保障

Founded in 1957 and since then our only line of business has been the manufacture of clamping tools. The quality of our products and our total guarantee against any manufacturing fault have made us one of the leading brand names in the European market and an exporter to more than 50 countries.

Choosing PIHER is your assurance of guaranteed top quality.



西班牙 Spain
La Rioja
Logroño



荣获的国际证书和奖项 CERTIFICATES & AWARDS



Guarantee PIHER 保证

MADE IN SPAIN
with certified quality materials
of European origin

OWN MAKE AND DESIGN


LIFETIME GUARANTEE
(see sales & replacement terms and conditions)



100%西班牙制造. 使用欧洲质量认证的标准材料

独家的制作工艺与设计

保用期限 (详见销售与更换条款)





双重全保护螺纹螺杆

Fully Protected Double Threaded Screw




Multiplies both the advance and pressure capacity thanks to the double thread and triangular teeth.

成倍数增加的承压能力得益于双重螺纹和三角齿工艺设计





Completely straight advance no twisting at all.

无扭曲地完全直推




More pressure and grip than a standard head even when angle clamping.

即使处于斜角咬夹的情况下，依然比普通的夹头更能承受压力



Protected from any outside agent: welding or concrete splats, steel slivers, etc..

不受任何外界作业环境影响：焊接，混凝土，涉及钢铁的工业生产等





- 1 享有国际专利的固定设计，有效保持夹具颌口的向下滑落，保证作业安全
Positioning system to hold and prevent any free fall of the moving jaw.
- 2 弯曲的颌头设计使夹具边缘和突出的部分也可用于操作
Curved jaw heads which allow work around edges and protrusions.
- 3 固定颌口槽设计能使管类等材料最有效地固紧
Grooved fixed jaw for optimum grip of tubes, profiles, etc.
- 4 夹头的活塞设计能绝对地保护螺纹
Piston system with always fully protected threads.
- 5 在螺旋部位处有可润滑螺杆的润滑孔
In the screwing mechanism there is a greasing hole through which the screw can be lubricated.
- 6 夹具螺杆能够通过360° 全方位旋转最高效能地提高夹持力
Ergonomically shaped handle interchangeable and multi positionable.
- 7 移动下颌口处设有防滑设计
Nonslip brake on moving jaw

人性化的设计与便于使用者使用
Ergonomic and User Friendly

高品质的专利设计
High Quality Exclusive design

Maxipress F

条 (棒)
BAR 35 x 8 mm最大承压值
MAXIMUM PRESSURE 9000 N

COD	cm	cm	cm	kg	
60020	20	12	10	2,12	5
60030	30	12	10	2,34	
60040	40	12	10	2,56	
60050	50	12	10	2,78	
60060	60	12	10	3,00	
60080	80	12	10	3,44	3
60100	100	12	10	3,88	
60120	120	12	10	4,32	
60140	140	12	10	4,76	
60150	150	12	10	4,98	



Maxipress R

条 (棒)
BAR 40 x 10 mm最大承压值
MAXIMUM PRESSURE 10000 N

COD	cm	cm	cm	kg	
61030	30	16	14	3,5	3
61040	40	16	14	3,82	
61050	50	16	14	4,13	
61060	60	16	14	4,45	
61080	80	16	14	5,07	
61100	100	16	14	5,7	
61120	120	16	14	6,33	
61140	140	16	14	6,96	
61150	150	16	14	7,27	
61160	160	16	14	7,59	2
61180	180	16	14	8,21	
61200	200	16	14	8,83	
61220	220	16	14	9,46	
61250	250	16	14	10,06	
61300	300	16	14	10,72	

欧盟认证设计
EU REGISTERED DESIGN品牌保障
西班牙制造
MADE IN SPAIN

长钉（尖钉）固定配件 / Spike fix accessories




适用的夹具系列：F系列，Maxipress F
锻钢制造

Suitable for our models: F and Maxipress F
Forged steel manufacture

COD

14059



可拆卸螺杆


Dismountable handle



COD

14057

塑料保护帽 / Plastic protection caps



适用夹具系列：Maxipress系列，E,F,R,EM,EH,FM,P,C,K,S 型号

Available for our models:
Maxipress, E, F, R, EM, EH, FM, P, C, K, S

COD

24009



每盒100个

Box of 100 caps

COD

24010

强力夹

完全不受任何打击，污物或焊接影响导致出现损坏或变形

高韧度铸铁颌口

超耐热钢材棒（90公斤/mm²）

移动下颌口设有防滑设计

防锈涂层钢棒

颌口镀有环氧漆

固定颌口槽紧咬管状物和成角件

专门用于造船业，汽车制造业等制造行业

Extra-strong clamps

Fully protected against any kind of hit, dirt or welding splats.

Ductile cast iron jaws.

Extra resistant rolled steel bar (90 Kg./mm²).


Nonslip brake on moving jaw.

Anti-rust coated bar.

Epoxy painted jaws.

Grooved fixed jaw to hold pipes and angled pieces.

For specialised shipbuilding, carbody work, etc.



品牌保障
西班牙制造
MADE IN SPAIN



欧盟认证设计
EU REGISTERED DESIGN



极限承压
Extreme pressure



条 (棒) BAR 60 x 12 mm 最大承压值 MAXIMUM PRESSURE 22000 N

COD	cm	cm	cm	kg	
12025	25	19	16,5	7,2	2
12030	30	19	16,5	7,5	
12040	40	19	16,5	8,0	
12050	50	19	16,5	8,5	
12060	60	19	16,5	9,2	
12070	70	19	16,5	9,7	
12080	80	19	16,5	10,3	
12090	90	19	16,5	11,0	
12100	100	19	16,5	11,4	
12110	110	19	16,5	12,0	
12120	120	19	16,5	12,6	1
12130	130	19	16,5	13,1	
12140	140	19	16,5	13,7	
12150	150	19	16,5	14,2	
12160	160	19	16,5	14,8	
12170	170	19	16,5	15,4	
12180	180	19	16,5	15,9	
12190	190	19	16,5	16,5	
12200	200	19	16,5	17,1	
12210	210	19	16,5	17,6	
12220	220	19	16,5	18,2	1
12230	230	19	16,5	18,8	
12240	240	19	16,5	19,3	
12250	250	19	16,5	20,0	
12275	275	19	16,5	21,3	
12300	300	19	16,5	22,7	

最小型号XXL样板

Sample of the smallest Mod. XXL (COD. 12025).



Mod. M



可锻铸铁颌口
镀锌钢棒
移动下颌口设有防滑设计

Malleable cast iron jaws
Zinc coated guaged steel bar
Nonslip brake on moving jaw

十字细螺纹螺旋杆可带来最大限度的承压。推荐用于金属加工

Finely threaded screw with cross shaped handle giving maximum pressure. Recommended for metal work.

条 (棒)
BAR

18 x 7 mm

最大承压值
MAXIMUM PRESSURE

4000 N

COD	cm	cm	cm	kg	
01012	12	7	5,7	0,42	10
01015	15	7	5,7	0,45	
01020	20	7	5,7	0,50	
01025	25	7	5,7	0,55	
01030	30	7	5,7	0,60	

Mod. MM



榉木把手与梯形螺纹螺旋杆。推荐用于木工

Beech wood handle and trapezoidal threaded screw. Recommended for woodworking.

条 (棒)
BAR

18 x 7 mm

最大承压值
MAXIMUM PRESSURE

4000 N

COD	cm	cm	cm	kg	
02012	12	7	5,7	0,44	10
02015	15	7	5,7	0,47	
02020	20	7	5,7	0,52	
02025	25	7	5,7	0,57	
02030	30	7	5,7	0,62	

Mod. Z



长使用寿命的有盖螺钉十字形金属螺杆对焊接、抹灰等工作最为理想

Covered screw thread for longer life with metal cross-shaped handle Ideal for welding, plasterwork, etc .

条 (棒)
BAR

18 x 7 mm

最大承压值
MAXIMUM PRESSURE

4000 N

COD	cm	cm	cm	kg	
22012	12	7	5,7	0,48	10
22015	15	7	5,7	0,51	
22020	20	7	5,7	0,56	
22025	25	7	5,7	0,61	
22030	30	7	5,7	0,66	

Malleable cast iron jaws
Zinc coated guaged steel bar
Nonslip brake on moving jaw

可锻铸铁颌口
镀锌钢棒
移动下颌口设有防滑设计

双重保护套配件使用型号系列有M, MM与Z三个型号

Double set of protective caps for M, MM and Z models

COD
30023



Accessories 配件



产品特点 CHARACTERISTICS

MOD. M

十字细螺纹螺旋杆可带来最大限度的承压。推荐用于金属加工

Finely threaded screw with cross shaped handle giving maximum pressure. Recommended for metal work.



MOD. MM

木柄的梯形螺纹螺旋杆设计，推荐用于木工行业

Trapezoidal threaded screw with wooden handle. Recommended for woodworking.




MOD. Z

十字细螺纹螺旋杆，最为适用于焊接，抹灰等作业


Finely threaded protected screw with metal cross-shaped handle. Ideal for welding, plasterwork, etc.





- 1 铸铁颌口
Cast iron jaws
- 2 颌口镀有环氧漆
Epoxy painted jaws
- 3 超耐热钢棒²
(90公斤/mm²)
Extra resistant rolled steel bar
(90Kg./mm²)
- 4 F和R新型号具有防损机制
New loss prevention brake system in
models F and R
- 5 移动下颌口处设有防滑设计
Nonslip brake on moving jaw
- 6 防锈涂层杆
Anti-rust coated bar

塑料保护帽 / Plastic protection caps



适用夹具系列: Maxipress系
列, E, F, R, EM, EH, FM, P, C, K, S 型号

Available for our models:
Maxipress, E, F, R, EM, EH, FM, P, C, K, S

COD

24009




每盒100个
Box of 100 caps

COD

24010

桌上配件 / Table Support



30x8 / 35x8 / 40x10 型号
For 30x8 / 35x8 / 40x10 Bar models

COD

14090

Mod. E

条 (棒) BAR	30 x 8 mm	最大承压值 MAXIMUM PRESSURE		9000 N	
COD	↓ cm	↔ cm	↔ cm	kg	📦
03010	10	8,5	7	1,00	5
03015	15	8,5	7	1,10	
03020	20	8,5	7	1,20	
03025	25	8,5	7	1,30	
03030	30	8,5	7	1,40	
03040	40	8,5	7	1,50	
03050	50	8,5	7	1,60	
03060	60	8,5	7	1,70	



Mod. F

条 (棒) BAR	35 x 8 mm	最大承压值 MAXIMUM PRESSURE		9000 N	
COD	↓ cm	↔ cm	↔ cm	kg	📦
04020	20	12	10,5	1,80	5
04025	25	12	10,5	1,90	
04030	30	12	10,5	2,00	
04040	40	12	10,5	2,20	
04050	50	12	10,5	2,40	
04060	60	12	10,5	2,60	3
04080	80	12	10,5	3,00	
04100	100	12	10,5	3,40	
04120	120	12	10,5	3,80	
04140	140	12	10,5	4,20	
04150	150	12	10,5	4,40	
04200	200	12	10,5	5,40	



Mod. R

条 (棒) BAR	40 x 10 mm	最大承压值 MAXIMUM PRESSURE		10000 N	
COD	↓ cm	↔ cm	↔ cm	kg	📦
05020	20	15	12,5	2,80	3
05025	25	15	12,5	3,00	
05030	30	15	12,5	3,10	
05040	40	15	12,5	3,40	
05050	50	15	12,5	3,70	
05060	60	15	12,5	4,00	
05080	80	15	12,5	4,60	
05100	100	15	12,5	5,20	
05120	120	15	12,5	5,80	
05140	140	15	12,5	6,40	2
05150	150	15	12,5	6,70	
05160	160	15	12,5	7,00	
05180	180	15	12,5	7,60	
05200	200	15	12,5	8,20	
05220	220	15	12,5	8,80	
05250	250	15	12,5	9,70	
05300	300	15	12,5	11,20	



铸铁颌口
移动下颌口设有防滑设计
超耐热钢棒 (90公斤/mm²)
防锈涂层杆
颌口镀有环氧漆

Cast iron jaws
Nonslip brake on moving jaw
Extra resistant rolled steel bar (90 Kg/mm²)
Anti-rust coated bar
Epoxy painted jaws

十字榉木螺杆

Beech wood handled clamps with crosspin

条 (棒) BAR	30 x 8 mm	最大承压值 MAXIMUM PRESSURE		9000 N	
COD	cm	cm	cm	kg	
41010	10	8,5	7	1,0	5
41015	15	8,5	7	1,1	
41020	20	8,5	7	1,2	
41025	25	8,5	7	1,3	
41030	30	8,5	7	1,4	
41040	40	8,5	7	1,6	
41050	50	8,5	7	1,8	
41060	60	8,5	7	2,0	

Mod. EM

十字榉木螺杆

Beech wood handle clamps with crosspin

条 (棒) BAR	35 x 8 mm	最大承压值 MAXIMUM PRESSURE		9000 N	
COD	cm	cm	cm	kg	
42020	20	12	10,5	1,80	5
42025	25	12	10,5	1,90	
42030	30	12	10,5	2,00	
42040	40	12	10,5	2,20	
42050	50	12	10,5	2,40	
42060	60	12	10,5	2,60	
42080	80	12	10,5	3,00	
42100	100	12	10,5	3,40	3
42120	120	12	10,5	3,80	
42140	140	12	10,5	4,20	
42150	150	12	10,5	4,40	
42200	200	12	10,5	5,40	

Mod. FM

品牌保障
西班牙制造
MADE IN SPAIN



欧盟认证设计
EU REGISTERED DESIGN



铸铁颌口
移动下颌口设有防滑设计
超耐热钢棒 (90公斤/mm²)
防锈涂层杆
颌口镀有环氧漆

Cast iron jaws
Nonslip brake on moving jaw
Extra resistant rolled steel bar (90 Kg/mm²)
Anti-rust coated bar
Epoxy painted jaws

十字铁螺杆夹

Iron cross shaped handle clamps

条 (棒)
BAR 30 x 8 mm最大承压值
MAXIMUM PRESSURE 9000 N

COD	cm	cm	cm	kg	
45010	10	8,5	7	1,00	5
45015	15	8,5	7	1,10	
45020	20	8,5	7	1,20	
45025	25	8,5	7	1,30	
45030	30	8,5	7	1,40	
45040	40	8,5	7	1,60	5
45050	50	8,5	7	1,80	
45060	60	8,5	7	2,00	

Mod. EH



十字铁螺杆夹

Iron cross shaped handle clamps

条 (棒)
BAR 35 x 8 mm最大承压值
MAXIMUM PRESSURE 9000 N

COD	cm	cm	cm	kg	
46020	20	12	10,5	1,80	5
46025	25	12	10,5	1,90	
46030	30	12	10,5	2,00	
46040	40	12	10,5	2,20	
46050	50	12	10,5	2,40	
46060	60	12	10,5	2,60	5
46080	80	12	10,5	3,00	
46100	100	12	10,5	3,40	
46120	120	12	10,5	3,80	3
46140	140	12	10,5	4,20	
46150	150	12	10,5	4,40	
46200	200	12	10,5	5,40	

Mod. FH



铸铁颌口
移动下颌口设有防滑设计
超耐热钢棒 (90公斤/mm²)
防锈涂层杆
颌口镀有环氧漆

Cast iron jaws
Nonslip brake on moving jaw
Extra resistant rolled steel bar (90 Kg/mm²)
Anti-rust coated bar
Epoxy painted jaws

特深窄颌口型

Special deep throat jaws

条 (棒)
BAR

40 x 10 mm

最大承压值
MAXIMUM PRESSURE

7000 N

COD	cm	cm	cm	kg	
15020	20	22	20,5	3,50	2
15030	30	22	20,5	3,80	
15040	40	22	20,5	4,10	
15050	50	22	20,5	4,40	
15060	60	22	20,5	4,70	
15070	70	22	20,5	5,00	
15080	80	22	20,5	5,30	
15090	90	22	20,5	5,70	
15100	100	22	20,5	6,00	

Mod. S

特深窄颌口型

Special deep throat jaws

条 (棒)
BAR

35 x 8 mm

最大承压值
MAXIMUM PRESSURE

5000 N

COD	cm	cm	cm	kg	
06020	20	30	28,5	3,90	2
06030	30	30	28,5	4,20	
06040	40	30	28,5	4,50	
06050	50	30	28,5	4,80	
06060	60	30	28,5	5,10	
06070	70	30	28,5	5,40	
06080	80	30	28,5	5,80	
06090	90	30	28,5	6,10	
06100	100	30	28,5	6,40	

Mod. K

品牌保障
西班牙制造
MADE IN SPAIN



欧盟认证设计
EU REGISTERED DESIGN



铸铁颌口
移动下颌口设有防滑设计
超耐热钢棒 (90公斤/mm²)
防锈涂层杆
颌口镀有环氧漆

Cast iron jaws
Nonslip brake on moving jaw
Extra resistant rolled steel bar (90 Kg/mm²)
Anti-rust coated bar
Epoxy painted jaws



欧盟认证设计
EU REGISTERED DESIGN

特深窄颌口型
Special deep throat jaws

Mod. 40 K

条 (棒) BAR	40 x 10 mm
最大承压值 MAXIMUM PRESSURE	2000 N

COD	cm	cm	cm	kg	
06503	30	42	40	6,60	2
06504	40	42	40	6,90	
06505	50	42	40	7,20	
06506	60	42	40	7,50	
06508	80	42	40	8,20	
06510	100	42	40	8,80	



NEW
新

特深窄颌口型
Special deep throat jaws

Mod. 50 K

条 (棒) BAR	40 x 10 mm
最大承压值 MAXIMUM PRESSURE	1500 N

COD	cm	cm	cm	kg	
06703	30	52	50	7,10	2
06704	40	52	50	7,40	
06705	50	52	50	7,70	
06706	60	52	50	8,00	
06708	80	52	50	8,70	
06710	100	52	50	9,30	



NEW
新